

**India Trade Promotion Organisation  
Pragati Maidan. New Delhi-110001**

**(Tender No. ITPO/CD/AMC/2008 dated July 11<sup>th</sup>, 2008)**

**Technical Bid**

Name of the bidder: \_\_\_\_\_

Mailing address: \_\_\_\_\_

Contact Executive  
(Name & designation) \_\_\_\_\_

Tel: \_\_\_\_\_ Fax: \_\_\_\_\_

E-mail: \_\_\_\_\_ Website: \_\_\_\_\_

VAT/TIN No. \_\_\_\_\_ Service Tax No. \_\_\_\_\_  
*(Please attach copies of certificates and latest returns)*

ISO 9001-2000 Regn. No. \_\_\_\_\_ ISO URL website \_\_\_\_\_  
*(Please attach copies of ISO certificate and latest EPF & ESI returns for last 3 months)*

Annual turnover during last fiscal \_\_\_\_\_ Rs. \_\_\_\_\_  
*(attach copy of audited Balance Sheet)*

No. of hardware professionals in company \_\_\_\_\_

No. of software professionals in company \_\_\_\_\_

Details of EMD DD No. \_\_\_\_\_ dated \_\_\_\_\_

Drawn on \_\_\_\_\_

Details of tender cost DD No. \_\_\_\_\_ dated \_\_\_\_\_

Drawn on \_\_\_\_\_

Or ITPO's Receipt No. \_\_\_\_\_ dated \_\_\_\_\_

Date: \_\_\_\_\_

\_\_\_\_\_  
*(Signature with seal of company)*

**India Trade Promotion Organisation**

**(A Govt. of India Enterprise)**

**Computer Department**

**Pragati Bhavan, Pragati Maidan**

**New Delhi**

**(Tender No. ITPO/CD/AMC/2008 dated July 11<sup>th</sup>, 2008)**

**Commercial Bid**

Name of the company : \_\_\_\_\_

Mailing address : \_\_\_\_\_

Contact Executive : \_\_\_\_\_  
(Name & designation)

Tel: \_\_\_\_\_ Fax: \_\_\_\_\_

E-mail: \_\_\_\_\_ website: \_\_\_\_\_

<b>S. No.</b>	<b>Description</b>	<b>Unit Price (in Rs.)</b>	<b>Qty.</b>	<b>Total Amount (Rs.)</b>
1.	<b><u>HP netserver ip2000r</u></b> INTEL P-III 800 MHz, 128 KB Cache, Rack Mountable, 1 GB SDRAM, 1.44MB FDD, 18GB U3 Hot Swap Hard Disk, Integrated U3 SCSI Controller, Integrated 10/100 Ethernet, Integrated display controller, Keyboard, Mouse, Redundant Power Supply, 15" Colour Monitor 12/24 DAT Drive Additional 18GB HS Hard Disk		1 No.	
	<b><u>HP netserver ip2000r</u></b> INTEL P-III 800 MHz, 128 KB Cache, Rack Mountable, 256 MB SDRAM, 1.44MB FDD; 9GB U3 Hot Swap Hard Disk, Integrated U3 SCSI Controller, Integrated 10/100 Ethernet X 2, Integrated display controller, Keyboard, Mouse, 15" Colour Monitor (Low Radiation), Windows NT Server ver 4.00 with service pack-4.		1 No.	
	<b><u>HP netserver ip2000r</u></b> INTEL P-III 800 MHz, 128 KB Cache, Rack Mountable, 512 GB SDRAM, 1.44MB FDD, 18GB U3 Hot Swap Hard Disk, Integrated U3 SCSI Controller,		1 No.	

	Integrated 10/100 Ethernet, Integrated display controller, Keyboard, Mouse, Redundant Power Supply, 15" Colour Monitor			
	<b>Infinity 2000 PCs</b> Make : HCL P-III, 128 kb Cache; 128 MB SDRAM, 1.44 MB FDD, 20 GB Hard Disk, 10/100 Ethernet Controller, Keyboard, Mouse, 17" Color Monitor, Windows XP Pro and MS Office Pro		6 Nos.	
	<b>IBM Netvista</b> Intel P-IV , 1.8 GhZ with 128 MB SDRAM, 256 KB cache, Intel 845G chipset, 40 GN UATA HDD, 1.44 MB 3.5" FDD, 56 kbpsin-built modem, 16X DVD ROM drive, 32X/10X/40X CD-RW liteon, 10-100 mbps Ethernet card with 17" SVGA colour monitor, Windows XP Pro and MS Office Pro		4 Nos.	
	<b>HP Workstation XW 8000</b> Dual Intel Xeon CPU @ 3.2 GHZ, 800/533 MHZ FSB, Intel E7505 Chipset, 1 MB Cache, 512 256X2 MB RAM, 2X73 GB SCSI HDD, CD ROM/DVD ROM Combo, 22" colour flat screen monitor, 104 keys keyboard & mouse, 10-100 MBPS Ethernet card, 2 serial, 1 parallel and 4 USB, AGP graphics card with 64 MB vram, Manageability WFM VER 2.0 or higher DMI 2.0 compliant, Windows XP Pro. And MS Office XP Pro.		1 No.	
	<b>IBM Thinkpad T30 laptops</b> With mobile Intel Pentium 4 processor, <b>1.6 GHz-M</b> , 256 MB DDR RAM, 1.44 MB (3.5") FDD (detachable), <b>20 GB HDD</b> , 8 X DVD drive, 56 kbps in-built fax modem, Ethernet card with wake-up on LAN, 38 cms TFT 1024 X 768 graphics card, 104 keys keyboard, MS Windows XP Pro, MS Office XO Pro		2 Nos.	
	<b>IBM Thinkpad T30 laptops</b> With mobile Intel Pentium 4 processor, <b>2.0 GHz</b> , 256 MB DDRRAM, 1.44 MB (3.5") FDD (detachable), <b>40 GB HDD</b> , 8 X DVD drive, 56 kbps in-built fax modem, Ethernet card, 35.8 cms TFT 1024 X 768, 16 MB AGP 4X graphics, 104 keys keyboard, Windows XP Pro, MS Office XP Pro		3 Nos.	

	<b><u>HP Brio P-III PCs</u></b> Intel Pentium-III @ 733 MHz, 128 MB RAM, 10 GB HDD, CD ROM, keyboard, mouse, 15" VGA colour monitor, Ethernet card		45 Nos.	
	<b><u>Wipro Super Genius</u></b> Intel P-III, 1 Ghz/Intel 810e Chipset, 256KB Cache, 128MB SDRAM, 20GB SATA 100 HDD, Integrated Graphics, 1.44MB FDD, 52X CD Rom Drive, 10/100 Mbps Ethernet Card, 1 Serial, 1 Parallel, 2 USB Ports, 3 PCI, 1 AMR Slot, 5 Drive, 104 Keys Keyboard, Mouse, Wipro 15" Color Monitor , Win98, MS Office XP Pro		60 Nos.	
	<b><u>Compaq EVO D381 PCs</u></b> Intel P-4, Intel CPU @ 1.6 GHz, 512 MB SDRAM (Expendable to 1 GB) Intel 845G chipset, 40 GB HDD 1.44 MB FDD 52XCD-ROM, 10/100 MBPS Ethernet card, 1 Serial + 1 Parallel + 2 USB Ports, HP PS/2 Keyboard, HP PS/2 Mouse, MS Windows 98 Second Edition, MS Office XP 2003		64 Nos.	
	<b><u>Compaq D320M PCs</u></b> Intel P-IV @ 1.6 GHz, 128 MB SDRAM, 256 KB Cache, Intel 845G chipset, 40 GB HDD, 1.44 MB FDD, 52X CD ROM drive, 10/100 mbps Ethernet card with wake up on LAN, 15" SGVA colour monitor, EMI compliant, integrated AGP, 1 serial 1 parallel and 2 USB ports, 104 keys keyboard, mouse with Window98 SE and MS Office XP Pro		20 Nos.	
	<b><u>HP Scanjet 4500C Scanner</u></b> A4 size colour flat bed 2400 X 2400 dpi with character recognition software		5 Nos.	
	<b><u>HP Scanjet 5370C</u></b> A4 size colour flat bed 2400 X 2400 dpi with character recognition software		1 No.	
	<b><u>HP Colour Laserjet 9500 hdn printers</u></b>		2 Nos.	
	<b><u>HP Laserjet 9000dn printers</u></b>		10 Nos.	
	<b><u>HP Laserjet 5200 printers</u></b>		5 Nos.	
	<b><u>HP Laserjet 3050 mf printers</u></b>		2 Nos.	
	<b><u>HP Laserjet 3055 mf printers</u></b>		2 Nos.	
	<b><u>HP Laserjet 1200 printers</u></b>		4 Nos.	
	<b><u>HP Laserjet 1100A mf printers</u></b>		16 Nos.	
	<b><u>Lipi – T6100 Line matrix printers</u></b> 1000 LPM, parallel and serial interface, paper width: 4 inches to 17 inches		2 Nos.	

	<b><u>Epson/Wipro 1050 dot matrix printers</u></b> 24 pins, 136 columns, Buffer Memory 32 KB, Print Speed 320 cps		<i>Please quote per unit price</i>	
	<b><u>17" TFT Syncmaster (Samsung) monitors</u></b>		3 Nos.	
	<b><u>3 COM 4005 Central Switch</u></b> 32 Port Fast Ethernet Starter Kit (16 MMF, MTRJ & RJ45), Chassis based layer III, 8X100 Fx, 16X10/100 Tx, Hot Swappable modules, Redundant Power supply SNMP manageable, Web based Mgmt., Back plane 24 GBPS, 9 I/O slots (all L-3).		1 No.	
	<b><u>3 COM 4400SE Workgroup Switches</u></b> 3 COM Super Stack 3 Switch 4400, 4400SE Layer 2 (Manageable & Stackable), fail sfe stack design, MDA Slot 1 up link slot & 1 cascade slot/port Back bone min. 8 GBPS.		25 Nos.	
	<b><u>Cisco 2611 Router</u></b> 2* IEEE 802.3 LAN Port with RJ 45 Connector, 1 ISDN Port with S/T interface, 1 WAN port (Serial Port) with S/T interface, Redundant Power Supply, Layer 4 TCP/IP and UDP, Data encryption 56 bit description		1 No.	
	<b><u>Pix 515e Hardware Firewall with fail over unit and IDS 4215</u></b>		1 set	
	<b><u>3 COM Office Connect</u></b> 8-port, 10/100 mbps switch with RJ45 connectivity		1 No.	
	<b><u>UPS On-line 0.75 KVA</u></b> 160-270 V, with fuse for overload and short circuit (Tritronics Make)		14 Nos.	
	<b><u>UPS On-line 10 KVA</u></b> 160-270 V, with fuse for overload and short circuit (Tritronics Make)		2 Nos.	
	<b><u>UPS Off-line 2 KVA</u></b> 160-270 V, with fuse for overload and short circuit (Tritronics Make)		10 Nos.	
	<b><u>UPS Off-line 1 KVA</u></b> (Compact etc. make)		35 Nos.	
	<b><u>UPS Off-line</u></b> 0.75 KVA, 160-270 V (Tritronics make)		84 Nos.	

Date: \_\_\_\_\_

\_\_\_\_\_  
(Signature with seal of Company)